


HERITAGE WEST
CLUBHOUSE
MATERIALS SELECTIONS


ANDOVER KS

COL
LECT
IVE

DESIGN STUDIO

CLUBHOUSE FLOORPLAN





PT 1

MANUFACTURER: Sherwin Williams
Color: SW6198 Sensible Hue


Location: ALL INTERIOR DOORS & TRIM
BATHROOM WALLS AND CEILING &
MAILBOX WALL/FITNESS WALL



PT 2

MANUFACTURER: Sherwin Williams
Color: SW7008 Alabaster

Location: ALL INTERIOR WALLS & CEILINGS




PT 3

MANUFACTURER: Sherwin Williams
Color: SW7604 Smoky Blue

Location: **ACCENT** FITNESS CEILING /
FITNESS ACCENT WALL

WALLS – EGGSHELL
CEILING – FLAT
TRIM – SATIN


INTERIOR PAINT FINISHES



PT 1

MANUFACTURER: Sherwin Williams
Color: SW6198 Sensible Hue



Location: ALL INTERIOR DOORS & TRIM
 BATHROOM WALLS AND CEILING &
 MAILBOX WALL/FITNESS WALL



PT 3

MANUFACTURER: Sherwin Williams
Color: SW7604 Smoky Blue

Location: ACCENT FITNESS
 CEILING





INTERIOR DOOR HARDWARE
EMTEK HELIOS LEVER
ROUND ROSE
FINISH: SATIN NICKELMANUFACTURER: EMTEK

MODEL #5109HLOUS15RH
MODEL #:BCI4586846
COLOR: SATIN NICKEL




PAINT GRADE
STYLE: LOGAN 1 PANEL
MANUFACTURER: MASONITE



Door Casing: 1 x 4 with backband


Base Trim: 1 x 6




1 x 4 Interior Trim Board



Backband





CLUBHOUSE FLOORING

LVT 1
 Patcraft
 Inset
 Style 1577V
 Pure Gold 00100-V2
 Product Size 18" x 36"
 Installation Half Basket Weave



R Inset PRODUCT SPECIFICATIONS



COLLECTION	Inset
STYLE NUMBER	I577V
CONSTRUCTION	Heavy Commercial Luxury Vinyl Tile
WEAR LAYER THICKNESS	20 mil / 0.02 inches (0.508 mm)
OVERALL THICKNESS	0.197 inches (5 mm)
EDGE PROFILE	Squared Edge
REFERENCE SPECIFICATION	ASTM F1700 Class III printed film vinyl tile Type B (embossed)
FINISH	ExoGuard®
INSTALLATION TYPE	Dry Back
INSTALLATION	Glue Down
RECOMMENDED ADHESIVE	4200 (4 gal), 2200 (4 gal), 4252 (4 gal) or SISO SPRAY ADHS

Packaging

PLANK SIZE
PIECES /BOX
AREA /BOX
WEIGHT /BOX

US Units

18 inches W x 36 inches L
5
22.5 sq ft
40.1 lbs

Metric Units

45.7 cm W x 91.4 cm L

2.1 sq m
18.2 kg

Performance Testing

STATIC LOAD / ASTM F970

Passes (Modified), *1000 lbs

RESIDUAL INDENTATION / ASTM F1914

Passes

RESISTANCE TO CHEMICALS / ASTM F925

Passes

RADIANT PANEL / ASTM E648

Passes, Class I

COEFFICIENT OF FRICTION (ASTM D2047, SLIP RESISTANCE)

≥0.5, meets the recommended static coefficient of friction for ADA walking surfaces

*Results are based on a laboratory test and used for comparative purposes. Real life load limit may vary.

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Warranty

15 Year Commercial Limited.

Commercial Limited Underbed Bond Warranty SISO/4151/Lokworx+ Resilient.

Please visit patcraft.com for the most current warranty information.

PATCRAFT.COM / @PATCRAFTFLOORS / 800.241.4014

© 2024 Shaw Industries Group, Inc., a Berkshire Hathaway Company

TRANSFORMSPACE

For reference purposes only if printed or downloaded.

CLUBHOUSE FLOORING

NOTE "22" COMMUNITY ROOM 101
(1) TOTAL LIGHT LOCATIONS



CLUBHOUSE
CURVED BAR LIGHTING

BRUNI
CH24755
CHANDELIERS

PROJECT



CH24755-BK
Black

CH24755-BG
Brushed Gold


SPECIFICATION DETAILS

Fixture Dimensions	L55-1/8" x W31-1/2" x H20-5/8"
Light Source	LED with DC Driver
Wattage	115W
Total Lumens	8000lm
Delivered Lumens	4650lm*
Voltage	120V
Color Temperature	3000K
CRI (Ra)	90CRI
Optional Color Temps	2700K - 5000K Available, Minimum Order Quantities Apply
LED Rated Life	50,000 hours
Dimming	100% - 10%, TRIAC or ELV Dimmer (Not Included)
Diffuser Details	Clear Acrylic Exterior/White Silicone Interior
Adjustable	Yes
Wire Length	120" Max
Wire Type	Black
Minimum Hang Height	24"
Sloped Ceiling Adaptable	Yes
Location	Dry
Illumination Direction	Up/Down
Canopy Dimensions	D8-3/4" x H1-5/8"
Paint Finish	BGG1; BK02;

* For custom options, consult factory for details.
* For warranty information, please visit www.kuzcolighting.com/warranty

DESCRIPTION

The Bruni Collection answers many requests for classic, modern shapes combined with ample lighting. These completely adjustable rings allow for completely customized styling that's all your own. Available in two sophisticated finishes, the acrylic ribbed texture of each circular lamp provides sufficient lighting for even the darkest rooms in your home



COMMENT

KUZCO

CANADA: 19054 28TH AVENUE - SURREY, BC V3Z 6M3
USA: 3035 E. LONE MOUNTAIN ROAD - LAS VEGAS, NV 89081


WWW.KUZCOLIGHTING.COM

© 2023 KUZCO LIGHTING. ALL RIGHTS RESERVED.




CLUBHOUSE CURVED BAR
LIGHTING

CLUBHOUSE CABINETRY & HARDWARE



CABINET STYLE & FINISH
COMBINATION LIGHT & SOFT BLACK FINISH



MSI QUARTZ – ALABASTER WHITE



CABINET HARDWARE
AMEROCK BP37294G10
METRO 8-13/16 PULL CC
FINISH: SATIN NICKEL

WATERFALL SIDE



MITERED EDGE



MSI QUARTZ – ALABASTER WHITE

TILE SIDE



LED LIGHTING
AT CURVE BAR

CLUBHOUSE CURVED BAR





CLUBHOUSE CURVED BAR TILE




Daltile
Indoterra
Brick Rectangle Fluted
Thickness 5/16"
Size 2" x 9"
Finish: Matte
Shade Variation: High

Brick – IN45
Volcanic Ash – IN46
Natural – IN42



CLUBHOUSE CURVED BAR



LED LIGHTING



BOOKCASE / COFFEE STATION / TV

ELEVATION
COFFEE BAR / TV / BOOKCASE

LED
LIGHTING
ON SHELVES
& UPPER
SOFFIT






FAUCET & BAR SINK



LED LIGHTING AT COFFEE
BAR SHELVES



BACK OF BAR PAINT



CABINET STYLE
& FINISH

PANEL READY
UNDERCABINET
FRIDGE




COFFEE STATION




MANUFACTURER: DELTA
COLLECTION: Lenta
TYPE: Single Handle Pull- Down
STYLE AND STYLE #: 19802Z-SP-DST
COLOR : Spot Shield Stainless

CLUBHOUSE
COFFEE STATION FAUCET



Submitted Model No.:

Specific Features:



▲ Designate proper finish suffix

Delta reserves the right (1) to make changes in specifications and materials, and (2) to change or discontinue models, both without notice or obligation. Dimensions are for reference only. See current full-line price book or www.deltafaucet.com for finish options and product availability.

DSP-K-19802Z-DST Rev. A



see what Delta can do™

KITCHEN FAUCETS

- Lenta™ Collection
- Single Handle Pull-Down

FEATURES:

- Touch-Clean® Technology
- DIAMOND Seal® Technology
- MagnaTite® Docking System
- 3-Function Pull-Down w/ ShieldSpray™

STANDARD SPECIFICATIONS:

- Max flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa
- One or three hole mount (escutcheon optional, included)
- Diamond coated ceramic cartridge
- 3/8" O.D. straight, staggered PEX supply lines
- Spout rotates 360°
- Hot/cold indicator markings
- Dual integral check valves in sprayer assembly
- Three-function wand: Aerated stream, spray or ShieldSpray™

WARRANTY

- Parts and Finish - Lifetime limited warranty; or for commercial purchasers, 10 years for multi-family residential (apartments and condominiums) and 5 years for all other commercial uses, in each case from the date of purchase
- Electronic Parts and Batteries (if applicable) - 5 years from the date of purchase, or for commercial purchasers, 1 year from the date of purchase. No warranty is provided on batteries.

COMPLIES WITH:

- ASME A112.18.1 / CSA B125.1
- ASME A112.18.6
- Indicates compliance to ICC/ANSI A117.1
- Verified compliant with .25% weighted average Pb content regulations.

Delta Faucet Company

55 F. 11th Street, Indianapolis, IN 46280
350 South Exchange Road, St. Thomas, CN, MSP 4L
© 2019 Delta Faucet Company

CLUBHOUSE
COFFEE STATION FAUCET



MANUFACTURER: BLANCO
COLLECTION: CUVÉE R15
TYPE: UNDERMOUNT BAR SINK
STYLE AND STYLE #: 524755
COLOR : Stainless steel satin polish

CLUBHOUSE
COFFEE STATION SINK



Sink Specifications

Color	SKU
satin polish	524755

Design and Planning Tips

- Min cabinet size: 21 in

What is included:

Installation instructions, Cut-out template, Limited Lifetime Warranty

Codes & Standards

ASME A112.19.3-2017/CSA B45.4-17

Optional Accessories

Sink Grid	223200
CapFlow Strainer Cover	517666

CUVEE R15 Bar

Stainless steel satin polish



Warranty

BLANCO offers a limited lifetime warranty on all sinks and faucets, as well as a one-year warranty on all custom accessories.

Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.



View our how-to videos to learn more about installing and caring for BLANCO products:

<https://www.blanco.com/us-en/service/how-to-videos/how-to-videos-for-sinks/>

Questions? Contact us today



BLANCO America, Inc.
110 Mount Holly By-Pass
Lumberton, NJ 08048

Phone & Fax
Phone: 888-668-6201
Fax: 609-668-6211

While BLANCO endeavors to provide accurate information, all dimensions are nominal, cannot be guaranteed, and are subject to change or cancellation. BLANCO assumes no responsibility for use of superseded or voided specifications.

CLUBHOUSE
COFFEE STATION REFRIGERATOR



MANUFACTURER: GE MONOGRAM
COLLECTION: MONOGRAM
TYPE: UNDERCOUNTER BAR FRIDGE
STYLE AND STYLE #: ZIBI240HII
COLOR : PANEL READY TO MATCH DOOR
STYLES OF COFFEE BAR



ZIBI240HII GE Monogram® Bar Refrigerator Module

Features

\$1,799 MSRP*

Custom panel and handle required

Customer must choose a custom door panel and handle to complement their décor.

Automatic icemaker on full-extension slides

Makes ice automatically to ensure a ready supply.

Adjustable temperature control

Maintains a consistent temperature.

LED lighting

Places contents into clear, brilliant view.

Removable ice bin

Holds up to 8 lbs. of ice.

Removable spillproof glass shelves

Helps contain spills for ease of cleaning.

Beverage shelf on full-extension slides

Holds up to five wine bottles or ten 12-oz. cans.

Flush installation

Allows near-seamless integration with surrounding cabinetry.

Ice scoop

Heavy duty scoop included.



* Manufacturer's Suggested Retail Price (MSRP)

Actual retail prices may vary by dealer. MSRP applies to the continental 48 United States and does not include such items as delivery, installation, installation accessories (i.e. range cords), or removal of old appliances. Consult your local authorized GE dealer for its prices.

Specifications

APPROXIMATE DIMENSIONS (HxDxW)

34 1/2 in x 24 7/8 in x 23 3/4 in

CAPACITY

Total Capacity (cubic feet)	4.25 cu ft
-----------------------------	------------

FEATURES

Control Type	Electronic ; Digital Temperature Display
Control Location	Front Top, Recessed
Adjustable Temperature Control	Yes
Icemaker	With Full Extension Slides
Ice Scoop	Yes
Interior Lighting	LED
Leveling System	Leveling Legs
Slide-Out Wine Shelf	1 Half-size with wood front
Spillproof Glass Shelves	2 encapsulated half-width, 1 encapsulated full-width

ECONOMICAL

Cabinet & Door Insulation	Foam
---------------------------	------

APPEARANCE


Color Appearance	Door Panels Required
Design Style	Custom Panel
Door Stops	110 Degree
Door Style	Solid Door
Door Swing	Hinges on Right Only
Handle	Custom Handle Required
Installation	Built-In ; Flush Appearance
Panel Capability	3/4" Panel
Toe Kick	Black installed, Stainless included

WEIGHTS & DIMENSIONS


Approximate Shipping Weight	120.00 lb
Net Weight	110.00 lb
Overall Depth	24 7/8 in
Overall Height	34 1/2 in
Overall Width	23 3/4 in
Back Air Clearances	0.00 in
Side Air Clearances	0.00 in
Top Air Clearances	0.00 in

TBD – AWAITING
SPECS & SAMPLES


Powder Coat Finish Reference



Sandstone (7501C)



Black (Black 6C)



White (PMS White)




Antique Bronze (8622C)



Dark Bronze (Black 7C)



Silver Spec (877C)



Gold Spec (7-5C)



Postal Grey (413C)

Color Notes:


- Colors and textures shown are representative of the actual powder coat color finish but are limited by printing conditions and may vary slightly from finished product. Textures will be organic in nature.
- Pantone color numbers shown in parentheses are for reference purposes only.
- Not all powder coat color finishes are available on all Florence product lines, see product catalog for details.
- Color availability may change without notice.

Mailbox Finish
Florence Corporation
Silver Spec 877C

Powering Your Centralized Mailbox Design Since 1934

CLUBHOUSE
LIGHTING MAIL HALLWAY

"A" HALL 106 - (5) TOTAL LIGHTS



MANUFACTURER: KUCZO
COLLECTION: Mason
MODEL#: KZC1285326

MASON
SF90406
SEMI FLUSH

PROJECT



SF90406-VB
Vintage Brass



SF90406-UB
Urban Bronze

SPECIFICATION DETAILS


Fixture Dimensions	D2-1/4" x H6"
Light Source	LED with DC Driver
Wattage	7W
Total Lumens	450lm
Delivered Lumens	375lm*
Voltage	120V
Color Temperature	3000K
CRI (Ra)	90CRI
Optional Color Temps	2700K - 5000K Available, Minimum Order Quantities Apply
LED Rated Life	50,000 hours
Dimming	100% - 10%, TRIAC or ELV Dimmer (Not Included)
Diffuser Details	Clear Acrylic TIR Optics
Shade Details	Aluminum Baffle
Location	Dry
Illumination Direction	Down
Canopy Dimensions	D4-5/8" x H1/2"
Material	Aluminum + Steel
Paint Finish	UB01, VB01;

* For custom options, consult factory for details.
* For warranty information, please visit www.kuzcolighting.com/warranty

DESCRIPTION

Experience the timeless allure of our Mason lighting family, where each design reimagines the classic cylinder silhouette in captivating ways. Each Mason design is equipped with integrated LED technology and brings a touch of sophistication to your space. With exciting finishes in urban bronze or vintage brass, Mason adds a touch of luxury to modern style.

- Luxury painted finishes
- Timeless, simple style
- Integrated LED, no need for bulbs
- Perfect for living rooms, kitchens, dining rooms, and more



Finish
UB - Urban Bronze
VB - Vintage Brass

COMMENT

KUZCO

CANADA: 19054 28TH AVENUE - SURREY, BC V3Z 6M3
USA: 3035 E. LONE MOUNTAIN ROAD - LAS VEGAS, NV 89081

WWW.KUZCOLIGHTING.COM
© 2024 KUZCO LIGHTING. ALL RIGHTS RESERVED.





CLUBHOUSE
LIGHTING MAIL HALLWAY



FITNESS CENTER

BACKLIT MIRRORS




Ceiling & Accent Walls



Walls


LVT 2
 Patcraft
 Collection: Shape Study
 Style: Planar
 Color 00115
 Product Size 24" x 24"
 Installation Brick



PT 1

MANUFACTURER: Sherwin Williams
Color: SW6198 Sensible Hue



Location: ALL INTERIOR DOORS & TRIM
 BATHROOM WALLS AND CEILING &
 MAILBOX WALL/FITNESS WALL




PT 3

MANUFACTURER: Sherwin Williams
Color: SW7604 Smoky Blue

Location: ACCENT FITNESS
 CEILING







R | Planar PRODUCT SPECIFICATIONS



COLLECTION	Shape Study
STYLE NUMBER	I716V
CONSTRUCTION	Heavy Commercial Luxury Vinyl Tile
WEAR LAYER THICKNESS	20 mil / 0.02 inches (0.508 mm)
OVERALL THICKNESS	0.098 inches (2.5 mm)
EDGE PROFILE	Squared Edge
REFERENCE SPECIFICATION	ASTM F7700 Class III printed film vinyl plank Type B (embossed)
FINISH	ExoGuard+®
INSTALLATION TYPE	Dry Back
INSTALLATION	Glue Down
RECOMMENDED ADHESIVE	4200 (4 gal), 2200 (4 gal), 4252 (4 gal) or S150

Packaging

	US Units	Metric Units
PLANK SIZE	24 inches W x 24 inches L	61 cm W x 61 cm L
PIECES /BOX	9	
AREA /BOX	36 sq ft	3.3 sq m
WEIGHT /BOX	34.04 lbs	15.4 kg

Performance Testing

STATIC LOAD / ASTM F970	Passes (Modified), *1500 lbs
RESISTANCE TO CHEMICALS / ASTM F925	Passes
RADIANT PANEL / ASTM E648	Passes, Class I
COEFFICIENT OF FRICTION (ASTM D2047, SLIP RESISTANCE)	≥0.5, meets the recommended static coefficient of friction for ADA walking surfaces

*Results are based on a laboratory test and used for comparative purposes. Real life load limit may vary.

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

Warranty


15 Year Commercial Limited.

Commercial Limited Underbed Bond Warranty S150/4151/Lokworx® Resilient.

Please visit patcraft.com for the most current warranty information.




Elkay LZS8WSSP Enhanced ezH2O Bottle Filling Station and Single ADA Cooler, Refrigerated, Stainless, High Capacity, Lead Reduction, Quick Filter Change



TILE AT WATER FOUNTAIN

WALL TILE – T2
DAL TILE
MARAZZI
INYO
INDIGO IN73
SATIN
1X6 MOSAIC
STRAIGHT LAY

WALL TILE – T3
INYO
INDIGO IN73
MATTE
PENNY ROUND
MOSAIC
STRAIGHT LAY



SCHLUTER – R0100AGSB
Satin Black Finish





BACK LIGHT MIRROR WITH LED LIGHTING

RESTROOM





Mirror



Sconces


Faucet



UNDERMOUNT SINK



FLOOR TILE



WALL TILE


CLUBHOUSE
BATHROOM TILE ELEVATION

2'8"
(finish to
ceiling)

4"

6'

,




TILE - T2 (1x6 vertical stack)

TILE - T3 (Penny round)


TILE - T2
(1x6 vertical stack)

BATHROOM FLOOR & WALL TILE



FLOOR TILE – T1
DAL TILE
FIXTURE
GLACIER FX21
SQUARE: 12"X24"
FINISH: MATTE
STRAIGHT LAY

GROUT –
MAPEI
02 PEWTER



WALL TILE – T2
DAL TILE
MARAZZI
INYO
INDIGO IN73
SATIN
1X6 MOSAIC
STRAIGHT LAY

WALL TILE – T3
INYO
INDIGO IN73
MATTE
PENNY ROUND MOSAIC
STRAIGHT LAY

GROUT –
MAPEI
NIGHT SKY
5232

SCHLUTER – R0100AGSB
Satin Black Finish




BATHROOM
FLOOR & WALL TILE



FLOOR TILE – T1
DAL TILE
FIXTURE
GLACIER FX21
SQUARE: 12”X24”
FINISH: MATTE
STRAIGHT LAY

GROUT –
MAPEI
02 PEWTER



BULLNOSE
3X24

SHAPE NUMBER: S43F9




MANUFACTURER: DELTA
COLLECTION: TRINSIC
TYPE: TRINSIC SINGLE HANDLE
BATHROOM FAUCET
STYLE AND STYLE #: 559HAR-BL-DST
COLOR : MATTE BLACK




MANUFACTURER: AMERICAN STANDARD
TYPE: UNDER COUNTER LAVATORY SINK
STYLE AND STYLE #: 0610.000.020
COLOR : WHITE

STANDARD UNITS



Submitted Model No.:

Specific Features:



▲ Designate Proper Finish Suffix



see what Delta can do™

BATHROOM FAUCET

- Trinsic® Bath Collection
- Single Handle Deck Mount

STANDARD SPECIFICATIONS:

- Max. flow rate 1.2 gpm @ 60 psi, 4.5 L/min @ 414 kPa
- Max. flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa (559HAR-GPM-DST only)
- One hole mount
- Diamond coated ceramic cartridge
- 1/4" O.D. straight, staggered PEX supply tubes
- Models have metal drain with pop-up type fitting with plated flange and stopper
- Optional red/blue indicator ring provided with models
- Rigid spout - spout does not swivel
- Optional 6" escutcheon (RP100091) not included

WARRANTY

- Parts and Finish - Lifetime limited warranty; or for commercial purchasers, 10 years for multi-family residential (apartments and condominiums) and 5 years for all other commercial uses, in each case from the date of purchase.
- Electronic Parts and Batteries (if applicable) - 5 years from the date of purchase; or for commercial purchasers, 1 year from the date of purchase. No warranty is provided on batteries.



COMPLIES WITH:

- ASME A112.18.1 / CSA B125.1
- ASME A112.18.2 / CSA B125.2
- Indicates compliance to ICC/ANSI A117.1
- EPA WaterSense®

American
Standard

BARrier FREE

BOULEVARD®
UNDERCOUNTER SINK
VITREOUS CHINA

BOULEVARD® UNDERCOUNTER SINK

☐ **0610.000 Unglazed Rim**

- Rectangular under mount sink with unique tapered interior bowl
- Made from vitreous china
- Unglazed rim
- Front overflow
- Supplied with mounting kit (047194-0070A) and template

Nominal Dimensions:

20-1/4" x 16"

(514 x 406mm)

Bowl Size:

17" (432mm) wide

13" (330mm) front to back


6" (152mm) deep

**Compliance Certifications -
Meets or Exceeds the
Following Specifications:**

- ASME A112.19.2/CSA B45.1

- To Be Specified:**
- ☐ Color: ☐ White ☐ Linen
 - ☐ Faucet*
 - ☐ Faucet Finish:
 - ☐ Supplies:
 - ☐ 1-1/4" Trap

* See faucet section for additional models available



NOTES:
WE RECOMMEND USING BASIN AS A TEMPLATE TO DETERMINE PROPER CONTOUR. CUT COUNTERTOP 38MM (1-1/2") INSIDE BASIN CONTOUR.
* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIED AND "P" TRAP ARE SUGGESTED.
▼ UNDERCOUNTER MOUNTING KIT SUPPLIED WITH SINK. FITTINGS NOT INCLUDED WITH FIXTURE AND MUST BE ORDERED SEPARATELY.
SEALING COMPOUND SUPPLIED BY OTHERS.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

MEETS THE AMERICANS WITH DISABILITIES ACT GUIDELINES AND ICC ANSI A117.1 ACCESSIBLE AND USABLE BUILDINGS AND FACILITIES - CHECK LOCAL CODES.
Install lavatory 864mm (34") from finished floor.
Lavatory installed 51mm (2") minimum from front edge of countertop provides 866mm (27") knee clearance area.

CLUBHOUSE
RESTROOM MIRROR

MATERIAL: BLACK METAL FRAME
MIRROR

MANUFACTURER: MIRROR HOME
STYLE AND STYLE #: 20622
SIZE: 26" W X 42" L
FINISH: BLACK NICKEL
WEIGHT: 44 POUNDS



Mount Type : Wall Mount
Mirror Material: Glass
Frame Material : MIRROR, STEEL
Lighting Included :No
Plug-In : No
Backing Layers: No Backing Layers
Imported :Yes
Frame Design :Classic
Website: <https://www.mirrorhome.com/mirrors/20423-3392.html>

"J" TOILET 103 VANITY LIGHTS



MATERIAL SPECIFICATION SHEET
HERITAGE WEST
CLUBHOUSE

RESTROOM #103
VANITY LIGHTING

:
MANUFACTURER: Alai
TYPE: LAVATORY SINK LIGHT
MODEL #: WV374226
COLOR: Urban Bronze



alora

P. 1.855.855.8926

CANADA: 19054 28TH Avenue Surrey - BC V3Z 6M3

USA: 3035 E. Lone Mountain Rd - Las Vegas, NV, 89081

ALAI WV374225

FIXTURE DIMENSIONS	W5-5/8" x H25" x E2-3/4"
HEIGHT FROM CENTER	12-1/2"
EXTENSION	2-3/4"
LIGHT SOURCE	AC LED Module
WATTAGE	29W
TOTAL LUMENS	2380lm
DELIVERED LUMENS	1540lm*
VOLTAGE	120V
COLOR TEMPERATURE	2700K
CRI (RA)	90CRI
DIMMABLE	Yes, ELV Dimmer (Not Included)
GLASS DETAILS	Clear Ribbed Glass
MATERIAL	Steel + Glass
ILLUMINATION DIRECTION	Omni-directional
INSTALL OPTIONS	Wall Mount, All Orientation
ADA COMPLIANT	YES
LOCATION	Damp
CEC TITLE 24 JAB	Yes, JAB-2022
PAINT FINISH	UB01; VB01;

[D - Diameter, L - Length, W - Width, H - Height, E - Extension]

AVAILABLE FINISHES:




WV374225VBCR
Vintage
Brass/Clear Ribbed
Glass



WV374225UBCR
Urban
Bronze/Clear
Ribbed Glass

*For complete warranty terms, please visit: www.aloralighting.com/warranty



WWW.ALORALIGHTING.COM

© 2024 Alora Lighting. All rights reserved.



MATERIAL: Grab Bar

PRODUCT INFORMATION:

MANUFACTURER: BOBRICK

STYLE AND STYLE #: B-9806 x 24

SIZE: 24"

COLOR AND COLOR #: Black MBLK



BOBRICK

Technical Data

fino collection

1½" (38mm) DIAMETER
STAINLESS STEEL GRAB BARS
WITH CONCEALED FLANGE

B-9806

SERIES

Specify Finish Required

☐ Stainless Steel, Satin Finish

☐ Matte Black Finish, add suffix ".MBLK" to model number, see table below.

1-1/2" (38mm) Dia.

1" (25mm)

Length B

Length B

Length A

3/16" (5mm) Mounting holes, 3 Plcs. Equally Spaced (120° apart) on 1-1/2" (38mm) Dia. Bolt Circle

Mounting Flange (2)

1" (25mm)

Bar

1-1/2" (38mm) Dia.

1-1/8" (29mm)

Finish Face of Wall

2" (50mm) Dia., 2 Plcs.

1-1/2" (38mm)

Flange Cover (2)

1" (25mm) Dia., 2 Plcs.

5/16" (8mm)

33" min. to 36" max. (840 to 915mm)

Recommended Mounting Height Off Floor For ADA/ICC and California Building Code (CBC)

Finished Face of Floor

Standard B-9806 Series Grab Bars			
Satin Finish Model	Matte Black Finish Model	Accessible Length A	Overall Length B
9806x18	9806x18.MBLK	18" (457mm)	20" (510mm)
9806x24	9806x24.MBLK	24" (610mm)	26" (660mm)
9806x30	9806x30.MBLK	30" (762mm)	32" (813mm)
9806x36	9806x36.MBLK	36" (914mm)	38" (965mm)
9806x42	9806x42.MBLK	42" (1067mm)	44" (1120mm)
9806x48	9806x48.MBLK	48" (1219mm)	50" (1270mm)

ADA/CBC Installation Guidance

Recommended Mounting Heights:
ADA/ICC/CBC: 33" min. to 36" above finished floor (AFF)

MATERIALS:

Grab Bar — Type 303, 14-gauge 1/16" (2mm) stainless steel tubing with satin finish, 1-1/2" (38mm) outside diameter. Clearance between the grab bar and the wall is 1-1/2" (38mm).

Concealed Mounting Flanges — Type 303, 5/16" (8mm) thick, machined solid stainless steel with satin finish. End flanges 2" (50mm) diameter with three holes for attachment to wall.

Flange Covers — Type 303, 1/8" (3mm) thick, machined solid stainless steel with satin finish, 2" (50mm) diameter. Each cover is concealing the mounting screws.

Support Post — Tubing is connected to Mounting Flanges via a metric M8 hex screw, covered by a machined solid support post, 1/4" (6mm) wall thickness, 1" (25mm) outer diameter. Support post connects grab bar to mounting flange.


continued . . .

The illustrations and descriptions herein are applicable to production as of the date of this Technical Data Sheet.
The manufacturer reserves the right to, and does from time to time, make changes and improvements in designs and dimensions.

Revised 7/27/23
© 2023 by Bobrick Washroom Equipment, Inc.




TRIM DETAIL AT ELEVATOR CORRIDORS FLOOR 1- 4
PAINT – P3





Elevator Corridor
Floors 1 - 4




PT 3
PAINT WALLS AT
ELEVATOR ON EACH
FLOOR

Floor direction as
shown on JGR drawings




LIGHTING AT ELEVATOR
CORRIDOR
MANUFACTURER: KUCZO
COLLECTION: Mason
MODEL#: KZC1285326

ELEVATOR CORRIDORS ACCENT




B 2 BEDROOM
UNIT ENTRY
1'-11 1/2"



A 1 BEDROOM
UNIT ENTRY
1'-11 1/2"



LIGHTED UNIT NUMBER &
DOORBELL



PT 3



PLAM

COL LECTIVE

DESIGN STUDIO

HERITAGE WEST
ROOFTOP PATIO
MATERIALS
SELECTIONS

ANDOVER KS



ROOFTOP PATIO COVER

INSPIRATION



OUTDOOR PAVER – OP1
BELGARD
MIRAGE
MASHUP WAY
MP02
STRUCTURED 20 MM

PRODUCT SPECIFICATION:

SIZE: 900 X 900 (36" X 36")
TILE THICKNESS: 20 MM
MOISTURE ABSORPTION: $\leq 0.5\%$
ABSORPTION RESISTANCE: $\leq 175 \text{ MM}^3$
INSTALLATION PATTERN: STRAIGHT LAY
INSTALLATION: PEDESTAL ROOF SYSTEM

Mashup – Special Order



Available Colors



Way MP 02 ST




Block MP 03 ST



Road MP 04 ST



Shapes & Sizes



36"x36"x3/4" ST



24"x24"x3/4" ST

ST: Structured

	24"x24"x3/4"	36"x36"x3/4"
Gross weight per box (lbs)	72	80.3
Pieces / Box	2	1
Sq ft / box	7.75	8.7
Boxes / full pallet	30	18
Sq ft / pallet	232.5	156.6
Pallet gross weight	2160	1446

Laying Systems

INSTALLATION
SAND SET OVER
COMPACTED BASE



INSTALLATION
ON PERMEABLE
AGGREGATE BASE



MORTAR BED
ADHESIVE
INSTALLATION



ROOFTOP PATIO PAVES



Uniform appearance



Slight variation



Moderate variation



Substantial variation



SRI (60-80%):
Solar Reflectance Index


COL LECT IVE

DESIGN STUDIO

HERITAGE WEST
UNIT

MATERIALS
SELECTIONS

ANDOVER KS



MANUFACTURER: Sherwin Williams
Color: SW6198 Sensible Hue

Location: ALL INTERIOR DOORS & TRIM



MANUFACTURER: Sherwin Williams
Color: SW7008 Alabaster

Location: ALL INTERIOR WALLS & CEILINGS

WALLS – EGGSHELL
TRIM – SATIN



INTERIOR DOOR HARDWARE
EMTEK HELIOS LEVER
FINISH: BLACK




PAINT GRADE
STYLE: LOGAN 1 PANEL
MANUFACTURE: MASONITE



Door Casing: 1 x 4 with backband


Base Trim: 1 x 6



1 x 4 Interior Trim Board



Backband





PATCRAFT
STYLE 1710V TREELINE 12 MIL
COLOR: 00146 GINGER-V2
COLLECTION: TREE LINE
7" X 48"
Installation: Brick

UNIT
FLOORING



R | Treeline 12mil

PRODUCT SPECIFICATIONS



COLLECTION	Treeline
STYLE NUMBER	I710V
CONSTRUCTION	Light Commercial Luxury Vinyl Tile
WEAR LAYER THICKNESS	12 mil / 0.012 inches (0.305 mm)
OVERALL THICKNESS	0.079 inches (2 mm)
EDGE PROFILE	Squared Edge
FINISH	ExoGuard®
INSTALLATION TYPE	Dry Back
INSTALLATION	Glue Down
RECOMMENDED ADHESIVE	4200 (4 gal), 2200 (4 gal), 4252 (4 gal) or 5150

Packaging

PLANK SIZE
PIECES /BOX
AREA /BOX
WEIGHT /BOX

US Units

7 inches W x 48 inches L
22
51.33 sq ft
34.84 lbs

Metric Units

17.8 cm W x 121.9 cm L
4.8 sq m
15.8 kg

Performance Testing

STATIC LOAD / ASTM F970
RADIANT PANEL / ASTM E648
COEFFICIENT OF FRICTION (ASTM D2047, SLIP RESISTANCE)

Passes (Modified), *1500 lbs.
Passes, Class I
>0.6, meets the recommended static coefficient of friction for ADA walking surfaces and accessible routes

*Results are based on a laboratory test and used for comparative purposes. Real life load limit may vary.

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.


Warranty

7 Year Commercial Limited.

Please visit [patcraft.com](https://www.patcraft.com) for the most current warranty information.



MANUFACTURER: DELTA
COLLECTION: Lenta
TYPE: Single Handle Pull- Down
STYLE AND STYLE #: 19802Z-SP-DST
COLOR : SPOT STAINLESS STEEL




CABINET STYLE & FINISH
ISLAND – SOFT BLACK
SURROUND - LIGHT




CABINET HARDWARE
AMEROCK
METRO 5-1/16 PULL CC
FINISH: SATIN NICKEL



COUNTERTOPS – MSI ALABASTER




BACKSPLASH – DAL TILE
COLOR WHEEL COLLECTION
ARTIC WHITE MATTE 0790
4X4 STRAIGHT LAY
GROUT: MAPEI 5221 MOONBEAM



Submitted Model No.: _____

Specific Features: _____



▲ Designate proper finish suffix

Delta reserves the right (1) to make changes in specifications and materials, and (2) to change or discontinue models, both without notice or obligation. Dimensions are for reference only. See current full-line price book or www.deltafaucet.com for finish options and product availability.

DSP-K-19802Z-DST Rev. A



see what Delta can do™

KITCHEN FAUCETS

- Lenta™ Collection
- Single Handle Pull-Down

FEATURES:

- Touch-Clean® Technology
- Diamond Seal® Technology
- MagnaTite® Docking System
- 3-Function Pull-Down w/ ShieldSpray™

STANDARD SPECIFICATIONS:

- Max flow rate 1.8 gpm @ 60 psi, 6.8 L/min @ 414 kPa
- One or three hole mount (escutcheon optional, included)
- Diamond coated ceramic cartridge
- 3/8" O.D. straight, staggered PEX supply lines
- Spout rotates 360°
- Hot/cold indicator markings
- Dual integral check valves in sprayer assembly
- Three-function wand; Aerated stream, spray or ShieldSpray™

WARRANTY

- Parts and Finish - Lifetime limited warranty, or for commercial purchasers, 10 years for multi-family residential (apartments and condominiums) and 5 years for all other commercial uses, in each case from the date of purchase
- Electronic Parts and Batteries (if applicable) - 5 years from the date of purchase, or for commercial purchasers, 1 year from the date of purchase. No warranty is provided on batteries.

COMPLIES WITH:

- ASME A112.18.1 / CSA B125.1
- ASME A112.18.6
- Indicates compliance to ICC/ANSI A117.1
- Verified compliant with .25% weighted average Pb content regulations.

Delta Faucet Company

35 F 111th Street, Indianapolis, IN 46280
350 South Edgeview Road, St. Thomas, ON, N5P 4L1
© 2019 Delta Faucet Company

UNIT KITCHEN FAUCET



CABINET HARDWARE
AMEROCK BP37291G10
METRO 5-1/16 PULL CC
FINISH: SATIN NICKEL

Item Type	Pull	Center-to-Center Fraction (in)	5-1/16
Center-to-Center (mm)	128	Product Length Fraction (in)	5-5/16
Product Length (mm)	135	Product Width Fraction (in)	7/16
Product Width (mm)	11	Product Projection Fraction (in)	13/16
Product Projection (mm)	21	Base Length Fraction (in)	1/4
Base Length (mm)	6	Base Width Fraction (in)	7/16
Base Width (mm)	11	Product Weight (lbs)	0.12
Included Hardware	#8-32 x 1in & #8-32 x 1-1/2in Truss Head Machine Screws		



MSI QUARTZ – ALABASTER WHITE

SPECS	SIZES	APPLICATIONS
PRIMARY COLOR(S) White-Cool	SLABS Size: 2 CM ID#: QSL-ALABWHT-2CM	FLOORING Residential: ✖ Commercial: ✖
ACCENT COLOR(S) Gray-Light	Size: 3 CM ID#: QSL-ALABWHT-3CM	COUNTERS Residential: ✔ Commercial: ✔
OTHER INDUSTRY NAMES(AKA) N/A	PREFABS Size: 108X42X2CM ID#: PSL-ALABWHTFE10842IS-2CM	WALL Residential: ✔ Commercial: ✔
STYLE Marble - Subtle Veins	Size: 112x26x2CM ID#: PSL-ALABWHTFE11226-2CM	OTHER Exterior Usage: ✖
AVAILABLE FINISHES Polished		



VANITY LIGHT
KUZCO LIGHTING
ALORA
APOLLO 20" WALL VANITY LIGHT
WV353020UB



VANITY FAUCET
MANUFACTURER: DELTA
COLLECTION: TRINSIC
TYPE: TRINSIC SINGLE HANDLE BATHROOM FAUCET
STYLE AND STYLE #: 559HAR-SS-DST
COLOR : BRILLIANCE STAINLESS



CABINET HARDWARE
AMEROCK BP37291G10
METRO 5-1/16 PULL CC
FINISH: SATIN NICKEL




BATHROOM VANITY FINISH

CABINET STYLE & FINISH



MSI ALABASTER



APOLLO
WV353020

FIXTURE DIMENSIONS	W20-1/4" x H6-1/2" x E3"
HEIGHT FROM CENTER	4"
EXTENSION	3"
LIGHT SOURCE	LED with DC Driver
WATTAGE	13W
TOTAL LUMENS	860lm
DELIVERED LUMENS	505lm*
VOLTAGE	120V
COLOR TEMPERATURE	3000K
CRI (RA)	90CRI
DIMMABLE	Yes, TRIAC/ELV Dimmer (Not Included)
MATERIAL	Steel + Glass
SHADE DETAILS	Opal Glass Shade
ILLUMINATION DIRECTION	Omni-directional
INSTALL OPTIONS	Wall Mount, Up or Down
ADA COMPLIANT	YES
LOCATION	Damp
CEC TITLE 24 JA8	Yes, JA8-2022
CANOPY DIMENSIONS	W4-5/8" x H5" x E7/8"
PAINT FINISH	UB01; VB01;

[D - Diameter, L - Length, W - Width, H - Height, E - Extension]

AVAILABLE FINISHES:



WV353020UB
Urban Bronze



WV353020VB
Vintage Brass

*For complete warranty terms, please visit: www.aloralighting.com/warranty



American
Standard

BARrier FREE

BOULEVARD® UNDERCOUNTER SINK

0610.000 Unglazed Rim

- Rectangular under mount sink with unique tapered interior bowl
- Made from vitreous china
- Unglazed rim
- Front overflow
- Supplied with mounting kit (047194-0070A) and template

Nominal Dimensions:

20-1/4" x 16"
(514 x 406mm)

Bowl Size:

17" (432mm) wide
13" (330mm) front to back
6" (152mm) deep

Compliance Certifications -
Meets or Exceeds the

- Following Specifications:
- ASME A112.19.2/CSA B45.1

To Be Specified:


- ☐ Color: ☐ White ☐ Linen
- ☐ Faucet*
- ☐ Faucet Finish:
- ☐ Supplies:
- ☐ 1-1/4" Trap

*See faucet section for additional models available

MEETS THE AMERICANS WITH DISABILITIES ACT GUIDELINES
AND ICC ANSI A117.1 ACCESSIBLE AND USABLE
BUILDINGS AND FACILITIES - CHECK LOCAL CODES.

Install lavatory 864mm (34") from finished floor.
Lavatory installed 51mm (2") minimum from front edge
of countertop provides 686mm (27") knee clearance area.

BOULEVARD®
UNDERCOUNTER SINK
VITREOUS CHINA




NOTES:
WE RECOMMEND USING BASIN AS A TEMPLATE TO DETERMINE
PROPER CONTOUR. CUT COUNTERTOP 38MM (1-1/2\") INSIDE BASIN
CONTOUR.
* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIED AND "P" TRAP ARE
SUGGESTED.

UNDERCOUNTER MOUNTING KIT SUPPLIED WITH SINK.
FITTINGS NOT INCLUDED WITH FIXTURE AND MUST BE ORDERED
SEPARATELY.
SEALING COMPOUND SUPPLIED BY OTHERS.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the
range of tolerances established by ANSI Standard A112.19.2.
These measurements are subject to change or cancellation. No responsibility
is assumed for use of superseded or voided pages.


MANUFACTURER: AMERICAN STANDARD
TYPE: UNDER COUNTER LAVATORY SINK
STYLE AND STYLE #: 0610.000.020
COLOR : WHITE

STANDARD UNITS



Submitted Model No.:

Specific Features:



▲ Designate Proper Finish Suffix



see what Delta can do™

BATHROOM FAUCET

- Trinsic® Bath Collection
- Single Handle Deck Mount

STANDARD SPECIFICATIONS:

- Max. flow rate 1.2 gpm @ 60 psi, 4.5 L/min @ 414 kPa
- Max. flow rate 1.0 gpm @ 60 psi, 3.8 L/min @ 414 kPa (559HAR-GPM-DST only)
- One hole mount
- Diamond coated ceramic cartridge
- 1/4" O.D. straight, staggered PEX supply tubes
- Models have metal drain with pop-up type fitting with plated flange and stopper
- Optional red/blue indicator ring provided with models
- Rigid spout - spout does not swivel
- Optional 6" escutcheon (RP100091) not included

WARRANTY

- Parts and Finish - Lifetime limited warranty; or for commercial purchasers, 10 years for multi-family residential (apartments and condominiums) and 5 years for all other commercial uses, in each case from the date of purchase.
- Electronic Parts and Batteries (if applicable) - 5 years from the date of purchase; or for commercial purchasers, 1 year from the date of purchase. No warranty is provided on batteries.



COMPLIES WITH:

- ASME A112.18.1 / CSA B125.1
- ASME A112.18.2 / CSA B125.2
- Indicates compliance to ICC/ANSI A117.1
- EPA WaterSense®

Delta reserves the right (1) to make changes in specifications and materials, and (2) to change or discontinue models, both without notice or obligation. Dimensions are for reference only. See current full-line price book or www.deltafaucet.com for finish options and product availability.

DSP L 559HAR-DST Rev. D

Delta Faucet Company
55 E. 111th Street, Indianapolis, IN 46280
350 South Eagware Road, St. Thomas, ON, N2P 4L1
© 2013 Delta Faucet Company

NOT REQUIRED - NOT USED



MANUFACTURER: Casa Blanca
STYLE AND STYLE #: BC12878684
SIZE: 52" Fan
FINISH: Pewter

Fan Specifications:

- Blade Span: 52"
- Number of Speeds: 4
- Reversible: Yes
- CFM (High): 5079
- CFM (med): 4235
- CFM (low): 3534
- Blade Pitch: 16°
- Canopy Width: 6.49"
- Sloped Ceiling Compatible: Yes
- Location Rating: Dry (Indoor)
- Voltage: 120 (US Line Voltage)

Light Specifications:

- Light Kit Type: Round
- Number of Bulbs: 1
- Watts Per Bulb: 18
- LED Included: Yes
- Dimmable: Yes
- Color Temperature: 3000K
- Lumens: 1520

Suggested Downrod Lengths::

- 9 foot Ceiling - 12 Inch Downrod
- 10 foot Ceiling - 18 Inch Downrod
- 11 foot Ceiling - 24 Inch Downrod
- 12 foot Ceiling - 36 Inch Downrod

Dimensions and Measurements

Blade Pitch		16 Degrees
Blade Span		52 in.
Canopy Height		2.75 in.
Canopy Width		6.49 in.
CFM (High)		5079
CFM (Low)		3534
Downrod Size(s)		2, 4 in.
Height		13.96 in.
Product Weight		20 lbs.
Width		8.65 in.

Electrical and Operational Information

Energy Efficiency (CFM / Watt)		78
Lumens		1520
Power Source		Hardwired
RPM (High)		198
RPM (Low)		130
Speeds		4
Voltage		120
Voltage Type		Line Voltage (110-120V)
Watts Per Bulb		18

Warranty and Product Information

Energy Star		No
Location Rating		Dry Location

Characteristics and Features

Blade Finish		Bronze, Nickel, Silver, White
Bulb Base		Integrated LED
Bulb Type		LED
Bulb Visible		No
Color Temperature		3000K
Control Type		Remote
Dimmable		Yes
Fan Blade Material		Polycarbonate
Fan Type		Hanging
Glass Features		Frosted Glass
LED		Yes
Light Direction		Down Lighting
Light Kit Compatible		Yes
Low Ceiling Adaptable		Yes
Motor		AC Induction
Number of Blades		3
Number of Bulbs		1
Reversible Blades		No
Reversible Motor		Yes
Shade Color		White
Shade Material		Glass
Shade Shape		Round
Sloped Ceiling Compatible		Yes

NOT REQUIRED - NOT USED



Casa Blanca
Wisp 52" Fan
Model: 59152 |
Item: BCI2878684
Finish: Pewter



APPLIES TO ALL DRAWINGS
THROUGHOUT PRESENTATION.

ALL DRAWINGS FOR ILLUSTRATION
PURPOSES ONLY AND TO PROVIDE A
CONCEPTUAL LAYOUT WITH GENERAL
MEASUREMENTS. ALL FINAL
MEASUREMENTS TO BE DONE BY
CONTRACTOR CONFIRMING
STRUCTURE AND DWELLINGS ETC.
NOT TO BE USED AS CONSTRUCTION
DRAWINGS. PROPERTY OF
COLLECTIVE DESIGN STUDIO.