

USD305 - SCHILLING ELEMENTARY

FLOORING REPLACEMENT

SALINA,

26-3562

KANSAS

REFERENCE LEGEND

DETAIL REFERENCE
REF # - SHT. #

DETAIL REFERENCE
REF # - SHT. #

INTERIOR ELEVATION
REFERENCE

ELEVATION
DESIGNATION

DOOR MARK

WINDOW MARK

CUT LINE

PARTITION MARK

REVISIONS

ROOM NAME
& NUMBER

PROJECTED VIEW
OF PHOTOGRAPH
REF # - SHT. #

CEILING ELEVATION
& MATERIAL

PROJECT NORTH

TRUE NORTH

DRAWING NAME

DRAWING SCALE

DRAWING REF #

MATERIAL LEGEND

BATT INSULATION

PLYWOOD

BRICK MASONRY

ROUGH WOOD

COMPACTED EARTH

FINISH WOOD

RIGID INSULATION

METAL STUD

POURED CONCRETE

GLASS LARGE SCALE

WALL W/ BRICK
VENEER

STRUCTURAL STEEL

METAL STUD WALL

CONC. MASONRY
UNIT SECTION

CONCRETE WALL

MTL JOIST

WOOD STUD WALL

MTL FURRING

C.M.U. WALL

PRECAST CONC.
SLAB

ABBREVIATIONS

& AND
Angle
At
Centerline
Diameter or Round
Pound or Number

Acous. Acoustical
Adj. Adjustable
A.F.F. Above Finished Floor
Aggr. Aggregate
Al. Aluminum
Approx. Approximate
Arch. Architect or Architectural
Asb. Asbestos
Asph. Asphalt
A.V. Audio Visual

Bd. Board
Bldg. Bituminous
Bldg. Building
Blk. Block
Blk. Blocking
Bm. Beam
Bot. Bottom
BO. BY OWNER
Brg. Bearing
Brk. Brick

Cab. Cabinet
Cg. Ceiling
Cir. Clear
Cntr. Counter
Col. Column
Conc. Concrete
CMU Concrete Masonry Unit
Ctr. Center

Dbl. Double
Det. Detail
D.F. Drinking Fountain
Dia. Diameter
Dim. Dimension
Dn. Down
Dr. Drain
Ds. Downspout
Dwg. Drawing
Dwr. Drawer

(E) Existing
Eo. East of Existing
E.J. Expansion Joint
E.C. Elevation
Elec. Electrical
Elev. Elevator
Ed. Equal
Eq. Equipment
E.W. Each Way
E.W.C. Elec. Water Cooler
Exst. Existing
Expo. Exposed
Exp. Expansion
Ext. Exterior

F.A. Fire Alarm
F.D. Floor Drain
Fdn. Foundation
F.E. Fire Extinguisher
F.E.C. F.E. Cabinet
Fin. Finish
Fl. Floor
Flash. Flashing
Fl. Flow line
Ft. Foot or feet
Ftg. Footing
Furr. Furring
Fut. Future

Gz. Gauge
Galv. Galvanized
G.B. Grab Bar
Gl. Glass
Gnd. Ground
Gr. Grade
Gyp. Gypsum

H.B. Hose Bibb
H.C. Hollow Core
Hdw. Hardware
Hdw. Hardware
H.M. Hollow Metal
Horiz. Horizontal
Hr. Height
Hgt. Height

I.D. Inside Diameter
Insul. Insulation
Int. Interior

Jan. Janitor
Jt. Joint

Kit. Kitchen

Lab. Laboratory
Lam. Laminate
Lav. Lavatory
Lkr. Locker
Lt. Light

Mas. Masonry
Max. Maximum
M.C. Medicine Cabinet
Mech. Mechanical
Mem. Membrane
Met. Metal
Mfr. Manufacturer
Mh. Manhole
Min. Minimum
Mir. Mirror
Misc. Miscellaneous
M.O. Masonry Opening
Mtd. Mounted

N. North
N.I.C. Not In Contract
No. or Number
Nom. Nominal
N.T.S. Not To Scale

O/ On or Over
Obs. Obscure
On Center
O.D. Diameter
Off. Office
Opp. Opposite

P. Paint
Pl. Plate
P.Lam. Plastic Laminate
Plas. Plaster
Plywd. Plywood
Pr. Pair
P.T.D. Paper Towel Dispenser
Ptn. Partition
P.T.R. Paper Towel Receptacle

Q.T. Quarry Tile

R. Riser
Rad. Radius
R.D. Roof Drain
Ref. Reference
Reinf. Reinforced
Req'd Required
Resil. Resilient
Room Room
R.O. Rough Opening

S. South
S.B. Splash Block
Solid Core
Schedule
Sect. Section
Shr. Shower
Sh. Sheet
Sim. Similar
Sanitary Napkin Disp.
Sanitary Napkin Recep.
Spec. Specification
Square
St. Stainless Steel
Std. Standard
Stl. Steel
Str. Storage
Struct. Structural
Susp. Suspended
V. Vinyl
Sym. Symmetrical

Tex. Texture
T.B. Towel Bar
T.Bd. Tack Board
Temp. Tempered
T.&G. Tongue & Groove
Thk. Thick
T.O.M. Top Of Masonry
T.O.S. Top Of Steel
Top Of Pavement
T.P.D. Toilet Paper Dispenser
T.V. Television
Tackwall
Typ. Typical
Tred. Tread

U.O.N. Unless Otherwise Noted
Ur. Urinal

V.C.T. Vinyl Composition Tile
V.T. Vinyl Tile
V.B. Vapor Barrier
Vert. Vertical
Vest. Vestibule
Vyl. Vinyl

W. West
w/o Without
W.C. Wall Covering
Wd. Wood
Wp. Waterproof
Wdw. Window
Wsc. Wainscot
Wt. Weight

FLOORING PREPARATION NOTES

- REMOVE SUB-FLOOR RIDGES AND BUMPS. FILL MINOR OR LOCAL LOW SPOTS, CRACKS, JOINTS, HOLES, AND OTHER DEFECTS WITH SUB-FLOOR FILLER TO ACHIEVE SMOOTH, FLAT, HARD SURFACE.
- SECURE ANY AND ALL LOOSE FLOORING IN WHICH NEW MATERIALS ARE BEING INSTALLED OVER. IF EXISTING FLOORING IS REMOVED, AREAS SHALL BE PATCHED WITH SIMILAR MATERIAL AND/OR FILLED WITH FLOOR PATCHING MATERIAL.
- CONTRACTOR SHALL BE AWARE OF AGE OF EXISTING FINISHES, TYPES OF PRODUCTS INSTALLED, AND REMOVAL AND FLOOR PREP REQUIREMENT FOR THOSE PRODUCTS. USE REMOVAL AND PREP PROCEDURES APPROPRIATE FOR THE EXISTING CONDITIONS.
- THE CONTRACTOR AND INSTALLER SHALL REVIEW EXISTING FLOOR CONDITION, EXISTING CARPET BACKING, ADHESIVE RESIDUE, AND ANY AND ALL MATERIALS SHALL BE THOROUGHLY REMOVED, CLEANED, AND PREPPED PRIOR TO ANY FLOOR INSTALLATION.
- CONTRACTOR SHALL AVOID THE USE OF SOLVENTS. PROVIDE ALL ADDITIONAL FLOOR PREP AS REQUIRED TO ENSURE FULL COMPLIANCE WITH ADHESIVES OR OTHER MATERIALS USED IN THE INSTALLATION OF FLOORING MATERIALS.
- THE CONTRACTOR AND INSTALLER SHALL INCLUDE ALL COST FOR LABOR AND MATERIAL TO PREP, LEVEL, SKIM, GRIND, AND ANY OTHER MEASURES TO ENSURE LEVEL AND STABLE SUB-FLOOR PRIOR TO INSTALLING FLOORING TO ENSURE THAT FINAL FLOOR INSTALLATION IS FREE OF BUMPS, WAVES, AND PHYSICAL AND/OR AESTHETIC FLAWS IN THE INSTALLATION. ALL FLOOR PATCH AND LEVELING SHALL BE INCLUDED IN THE CONTRACTOR'S BASE BID. CONTRACTOR SHALL REVIEW EXISTING SITE CONDITIONS, UNDERSTAND THE EXISTING CONDITIONS AND FLOORING ASSEMBLIES, AND MAKE CONSERVATIVE ASSUMPTION REGARDING THE FLOOR PATCH REQUIREMENT FOR THE ENTIRETY OF THE PROJECT.
- PROHIBIT TRAFFIC UNTIL FILLER IS CURED.
- VACUUM CLEAN SUBSTRATE.
- APPLY PRIMER AS RECOMMENDED BY MANUFACTURER.

SHEET LIST

ARCHITECTURAL

- COVER
A0.1 PHOTOGRAPHS
A0.2 PHOTOGRAPHS
A1.1 PROPOSED FLOORING PLAN




730 N. Ninth St. 1881 Main Street, Suite 301
Salina, KS 67401 Kansas City, MO 64108
785.827.0386 jgr@jgrarchitects.com

FLOORING DEMOLITION LEGEND

EXISTING VCT TO BE REMAIN. REMOVE EXISTING RUBBER BASE. SECURE/PATCH LOOSE TILE. PREP FOR NEW LVT OVER EXISTING & RUBBER BASE INSTALLATION


EXISTING WALK-OFF CARPET TO BE REMOVED. REMOVE EXISTING RUBBER BASE.

EXISTING CARPET TO BE REMOVED. REMOVE EXISTING RUBBER BASE.




DEMOLITION PLAN
1/32"=1'-0"

PERMIT SET 3-19-2026




18 PHOTOGRAPH
NO SCALE




17 PHOTOGRAPH
NO SCALE




16 PHOTOGRAPH
NO SCALE




15 PHOTOGRAPH
NO SCALE




14 PHOTOGRAPH
NO SCALE



13 PHOTOGRAPH
NO SCALE




12 PHOTOGRAPH
NO SCALE




11 PHOTOGRAPH
NO SCALE




10 PHOTOGRAPH
NO SCALE




9 PHOTOGRAPH
NO SCALE




8 PHOTOGRAPH
NO SCALE



7 PHOTOGRAPH
NO SCALE




6 PHOTOGRAPH
NO SCALE




5 PHOTOGRAPH
NO SCALE




4 PHOTOGRAPH
NO SCALE




3 PHOTOGRAPH
NO SCALE



2 PHOTOGRAPH
NO SCALE



1 PHOTOGRAPH
NO SCALE




REVISION:


DATE: 3-19-2026
JOB: 26-3562
SHEET NO.:

USD305 - SCHILLING ELEMENTARY
FLOORING REPLACEMENT
SALINA, KANSAS

JGR JonesGillamRenz
730 N. Ninth
Salina, KS 67401
785-827-0386
jgr@jgrarchitects.com
1881 Main Street, Suite 301
Kansas City, MO 64108




32 PHOTOGRAPH
NO SCALE




31 PHOTOGRAPH
NO SCALE




30 PHOTOGRAPH
NO SCALE




29 PHOTOGRAPH
NO SCALE




28 PHOTOGRAPH
NO SCALE



27 PHOTOGRAPH
NO SCALE




26 PHOTOGRAPH
NO SCALE




25 PHOTOGRAPH
NO SCALE




24 PHOTOGRAPH
NO SCALE



23 PHOTOGRAPH
NO SCALE




22 PHOTOGRAPH
NO SCALE




21 PHOTOGRAPH
NO SCALE




36 PHOTOGRAPH
NO SCALE




35 PHOTOGRAPH
NO SCALE



34 PHOTOGRAPH
NO SCALE



33 PHOTOGRAPH
NO SCALE



REVISION:

DATE: 3-19-2026
JOB: 26-3562
SHEET NO.:

USD305 - SCHILLING ELEMENTARY
FLOORING REPLACEMENT
KANSAS
SALINA,


JGR JonesGillamRenz
730 N. Ninth
Salina, KS 67401
785-827-0386
jgr@jgrarchitects.com
1881 Main Street, Suite 301
Kansas City, MO 64108

PROPOSED FLOORING LEGEND


- NEW 5MM LVT PLANK & 4 1/2" RUBBER BASE. (REF. PLAN LOCATION) APPROXIMATELY 4,850 sf
ALTERNATE 1 BILL - CUSHIONED SPORT FLOOR
- NEW 5MM LVT PLANK & 4 1/2" RUBBER BASE. (REF. PLAN LOCATION) APPROXIMATELY 10,680 sf
- NEW WALK-OFF CARPET & 4 1/2" RUBBER BASE. (REF. PLAN LOCATION) APPROXIMATELY 2,500 sf
- NEW CARPET TILE. J&J JOURNEY SERIES.& 4 1/2" RUBBER BASE. COLOR TO BE SELECTED BY OWNER, APPROXIMATELY 580 S.F.
- NEW WALK-OFF CAREPET OVER EXISING EPOXY RESIN. PREP TO RECEIVE NEW CARPET. APPROXIMATELY 100 sf

QUANTITIES IDENTIFIED ARE APPROXIMATE. CONTRACTOR IS RESPONSIBLE TO COMPLETE FULL TAKE-OFF FOR ALL AREAS AND REQUIRED QUANTITIES, INCLUDING ADDITIONAL MATERIAL REQUIREMENTS FOR WASTE. CONTRACTOR IS RESPONSIBLE TO PROVIDE ALL MATERIAL AND LABOR FOR NEW FINISHES AS INDICATED ON THE FLOOR PLAN.


NOTE: REFERENCE FLOORING TYPE SCHEDULE. INSTALL TRANSITIONS PER FIELD CONDITIONS.



FLOORING TRANSITION TYPES SCHEDULE



A COMPOSITE FLOOR PLAN
1/16" = 1'-0"



REVISION:

DATE: 3-19-2026
JOB: 26-3562
SHEET NO.: